

FABGRIP PRODUCT SELECTION TABLE

Carpet Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
267	Synthetic Latex water based	Direct stick hard set carpet adhesive	Bonding Needle Punch and direct stick Tufted carpets
104	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for SBR underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
108	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for Polyurethane foam underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
1245	Acrylic Solvent free water based	Pressure sensitive adhesive for Dual bond underlays	Bonding most Polyurethane foam and SBR Underlays direct to sub – floor
226	Synthetic rubber solvent based	Highly water resistant Outdoor carpet adhesive	Bonding Needle Punch and Synthetic grass carpets
400 TAC	Acrylic solvent free water based	Permanent pressure sensitive adhesive for Carpet Tiles	Bonding most types of PVC & Bituminous backed carpet tiles
Seemweld	Synthetic rubber solvent based	Sealing Direct stick & Dual bond carpet seams	Bonding seams on Jute & Synthetic Tufted and Woven backed carpets. Excluding Needle Punch
Contact No 8	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors



Vinyl Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
2003	Acrylic water based	High tack vinyl adhesive with powerful final bond strength	Plasticized wall and floor vinyl in both sheet and tile formation. Suitable for most Homogenous commercial and Domestic and foam backed vinyl
4002	Acrylic solvent free water based	High tack multi purpose resilient flooring adhesive	Plasticized commercial and Domestic wall and floor vinyl. Hot pressed PVC plank & Tile, Vulcanized rubber sheet and tile
480	Acrylic solvent free water based	Permanent pressure sensitive vinyl tile adhesive	Vinyl composition tiles and dual bond underlays
451	Solvent Free Two – part Polyurethane	Resilient flooring Thermo setting adhesive	Vinyl and Rubber flooring in wet areas. Outdoor rubber flooring adhesive
519	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors



Trowel Sizes and Coverage

TROWEL SIZE	COVERAGE	APPLICATION
V1	Approx 5m ² per litre	Commercial and Domestic sheet vinyl, vinyl plank and composition tiles
V2	Approx 3m ² to 4m ² per litre	Direct stick non coarse backed carpet, Rubber sheet and tile, Carpet underlay to sub – floor
V3	Approx 2m ² to 3m ² per litre	All Dual bond, Direct stick, coarse backed and Woven carpet and Needle Punch carpet
Flat Trowel or Roller	Approx 8m ² to 10m ² per litre Approx 3m ² to 4m ² per litre	A400 Tac Carpet Tile adhesive, 1245 carpet underlay adhesive and Primer Sub – floor primer Contact No 8 & 519 contact adhesives



Carpet Seaming Tapes

TAPE	DESCRIPTION	CHARACTERISTICS	SUITABLE FOR
100	Crepe paper backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on rubber underlay
200	Silicon backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on foam underlay
300	Foil topped carpet seaming tape	Foil topped for faster heat transfer for large carpet seams as well as a commercial grade hotmelt formulation	Most types of commercial carpet installations
400	Speed seaming Electro foil carpet seaming tape	An ironless engineered carpet seaming tape	Commercial installation requires a speed seaming machine
500	Dual bond carpet seaming tape	Commercial grade hot melt formulation with a paper back that peels away	Most types of Dual bond carpet installations

ALWAYS REFER TO MANUFACTURERS RECOMMENDATIONS

FABGRIP PRODUCT SELECTION TABLE

Carpet Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
267	Synthetic Latex water based	Direct stick hard set carpet adhesive	Bonding Needle Punch and direct stick Tufted carpets
104	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for SBR underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
108	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for Polyurethane foam underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
1245	Acrylic Solvent free water based	Pressure sensitive adhesive for Dual bond underlays	Bonding most Polyurethane foam and SBR Underlays direct to sub – floor
226	Synthetic rubber solvent based	Highly water resistant Outdoor carpet adhesive	Bonding Needle Punch and Synthetic grass carpets
400 TAC	Acrylic solvent free water based	Permanent pressure sensitive adhesive for Carpet Tiles	Bonding most types of PVC & Bituminous backed carpet tiles
Seemweld	Synthetic rubber solvent based	Sealing Direct stick & Dual bond carpet seams	Bonding seams on Jute & Synthetic Tufted and Woven backed carpets. Excluding Needle Punch
Contact No 8	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors

Vinyl Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
2003	Acrylic water based	High tack vinyl adhesive with powerful final bond strength	Plasticized wall and floor vinyl in both sheet and tile formation. Suitable for most Homogenous commercial and Domestic and foam backed vinyl
4002	Acrylic solvent free water based	High tack multi purpose resilient flooring adhesive	Plasticized commercial and Domestic wall and floor vinyl. Hot pressed PVC plank & Tile, Vulcanized rubber sheet and tile
480	Acrylic solvent free water based	Permanent pressure sensitive vinyl tile adhesive	Vinyl composition tiles and dual bond underlays
451	Solvent Free Two – part Polyurethane	Resilient flooring Thermo setting adhesive	Vinyl and Rubber flooring in wet areas. Outdoor rubber flooring adhesive
519	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors

Trowel Sizes and Coverage

TROWEL SIZE	COVERAGE	APPLICATION
V1	Approx 5m ² per litre	Commercial and Domestic sheet vinyl, vinyl plank and composition tiles
V2	Approx 3m ² to 4m ² per litre	Direct stick non coarse backed carpet, Rubber sheet and tile, Carpet underlay to sub – floor
V3	Approx 2m ² to 3m ² per litre	All Dual bond, Direct stick, coarse backed and Woven carpet and Needle Punch carpet
Flat Trowel or Roller	Approx 8m ² to 10m ² per litre Approx 3m ² to 4m ² per litre	A400 Tac Carpet Tile adhesive, 1245 carpet underlay adhesive and Primer Sub – floor primer Contact No 8 & 519 contact adhesives

Carpet Seaming Tapes

TAPE	DESCRIPTION	CHARACTERISTICS	SUITABLE FOR
100	Crepe paper backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on rubber underlay
200	Silicon backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on foam underlay
300	Foil topped carpet seaming tape	Foil topped for faster heat transfer for large carpet seams as well as a commercial grade hotmelt formulation	Most types of commercial carpet installations
400	Speed seaming Electro foil carpet seaming tape	An ironless engineered carpet seaming tape	Commercial installation requires a speed seaming machine
500	Dual bond carpet seaming tape	Commercial grade hot melt formulation with a paper back that peels away	Most types of Dual bond carpet installations

ALWAYS REFER TO MANUFACTURERS RECOMMENDATIONS



FABGRIP PRODUCT SELECTION TABLE

Carpet Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
267	Synthetic Latex water based	Direct stick hard set carpet adhesive	Bonding Needle Punch and direct stick Tufted carpets
104	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for SBR underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
108	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for Polyurethane foam underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
1245	Acrylic Solvent free water based	Pressure sensitive adhesive for Dual bond underlays	Bonding most Polyurethane foam and SBR Underlays direct to sub – floor
226	Synthetic rubber solvent based	Highly water resistant Outdoor carpet adhesive	Bonding Needle Punch and Synthetic grass carpets
400 TAC	Acrylic solvent free water based	Permanent pressure sensitive adhesive for Carpet Tiles	Bonding most types of PVC & Bituminous backed carpet tiles
Seemweld	Synthetic rubber solvent based	Sealing Direct stick & Dual bond carpet seams	Bonding seams on Jute & Synthetic Tufted and Woven backed carpets. Excluding Needle Punch
Contact No 8	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors

Vinyl Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
2003	Acrylic water based	High tack vinyl adhesive with powerful final bond strength	Plasticized wall and floor vinyl in both sheet and tile formation. Suitable for most Homogenous commercial and Domestic and foam backed vinyl
4002	Acrylic solvent free water based	High tack multi purpose resilient flooring adhesive	Plasticized commercial and Domestic wall and floor vinyl. Hot pressed PVC plank & Tile, Vulcanized rubber sheet and tile
480	Acrylic solvent free water based	Permanent pressure sensitive vinyl tile adhesive	Vinyl composition tiles and dual bond underlays
451	Solvent Free Two – part Polyurethane	Resilient flooring Thermo setting adhesive	Vinyl and Rubber flooring in wet areas. Outdoor rubber flooring adhesive
519	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors


Trowel Sizes and Coverage

TROWEL SIZE	COVERAGE	APPLICATION
V1	Approx 5m ² per litre	Commercial and Domestic sheet vinyl, vinyl plank and composition tiles
V2	Approx 3m ² to 4m ² per litre	Direct stick non coarse backed carpet, Rubber sheet and tile, Carpet underlay to sub – floor
V3	Approx 2m ² to 3m ² per litre	All Dual bond, Direct stick, coarse backed and Woven carpet and Needle Punch carpet
Flat Trowel or Roller	Approx 8m ² to 10m ² per litre Approx 3m ² to 4m ² per litre	A400 Tac Carpet Tile adhesive, 1245 carpet underlay adhesive and Primer Sub – floor primer Contact No 8 & 519 contact adhesives

Carpet Seaming Tapes

TAPE	DESCRIPTION	CHARACTERISTICS	SUITABLE FOR
100	Crepe paper backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on rubber underlay
200	Silicon backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on foam underlay
300	Foil topped carpet seaming tape	Foil topped for faster heat transfer for large carpet seams as well as a commercial grade hotmelt formulation	Most types of commercial carpet installations
400	Speed seaming Electro foil carpet seaming tape	An ironless engineered carpet seaming tape	Commercial installation requires a speed seaming machine
500	Dual bond carpet seaming tape	Commercial grade hot melt formulation with a paper back that peels away	Most types of Dual bond carpet installations

ALWAYS REFER TO MANUFACTURERS RECOMMENDATIONS



FABGRIP PRODUCT SELECTION TABLE

Carpet Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
267	Synthetic Latex water based	Direct stick hard set carpet adhesive	Bonding Needle Punch and direct stick Tufted carpets
104	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for SBR underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
108	Synthetic Latex Solvent free	Direct stick and Dual bond adhesive for Polyurethane foam underlays	Bonding Jute & Synthetic Backed Tufted carpets & Woven carpets
1245	Acrylic Solvent free water based	Pressure sensitive adhesive for Dual bond underlays	Bonding most Polyurethane foam and SBR Underlays direct to sub – floor
226	Synthetic rubber solvent based	Highly water resistant Outdoor carpet adhesive	Bonding Needle Punch and Synthetic grass carpets
400 TAC	Acrylic solvent free water based	Permanent pressure sensitive adhesive for Carpet Tiles	Bonding most types of PVC & Bituminous backed carpet tiles
Seemweld	Synthetic rubber solvent based	Sealing Direct stick & Dual bond carpet seams	Bonding seams on Jute & Synthetic Tufted and Woven backed carpets. Excluding Needle Punch
Contact No 8	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors

Vinyl Adhesives

ADHESIVE	CHEMICAL COMPOSITION	DESCRIPTION	SUITABLE FLOORCOVERING
2003	Acrylic water based	High tack vinyl adhesive with powerful final bond strength	Plasticized wall and floor vinyl in both sheet and tile formation. Suitable for most Homogenous commercial and Domestic and foam backed vinyl
4002	Acrylic solvent free water based	High tack multi purpose resilient flooring adhesive	Plasticized commercial and Domestic wall and floor vinyl. Hot pressed PVC plank & Tile, Vulcanized rubber sheet and tile
480	Acrylic solvent free water based	Permanent pressure sensitive vinyl tile adhesive	Vinyl composition tiles and dual bond underlays
451	Solvent Free Two – part Polyurethane	Resilient flooring Thermo setting adhesive	Vinyl and Rubber flooring in wet areas. Outdoor rubber flooring adhesive
519	Neoprene solvent based	Fast drying contact adhesive	PVC skirting and nosing, vinyl and most types of carpets
Primer 44	Acrylic water based	Sub-floor primer ready for use from the pail	Porous concrete and timber sub – floors

Trowel Sizes and Coverage

TROWEL SIZE	COVERAGE	APPLICATION
V1	Approx 5m ² per litre	Commercial and Domestic sheet vinyl, vinyl plank and composition tiles
V2	Approx 3m ² to 4m ² per litre	Direct stick non coarse backed carpet, Rubber sheet and tile, Carpet underlay to sub – floor
V3	Approx 2m ² to 3m ² per litre	All Dual bond, Direct stick, coarse backed and Woven carpet and Needle Punch carpet
Flat Trowel or Roller	Approx 8m ² to 10m ² per litre Approx 3m ² to 4m ² per litre	A400 Tac Carpet Tile adhesive, 1245 carpet underlay adhesive and Primer Sub – floor primer Contact No 8 & 519 contact adhesives

Carpet Seaming Tapes

TAPE	DESCRIPTION	CHARACTERISTICS	SUITABLE FOR
100	Crepe paper backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on rubber underlay
200	Silicon backed carpet seaming tape	Unique hot melt adhesive formulation and a enhanced knitted fiberglass scrim that reduces seam peaking	Most domestic installations on foam underlay
300	Foil topped carpet seaming tape	Foil topped for faster heat transfer for large carpet seams as well as a commercial grade hotmelt formulation	Most types of commercial carpet installations
400	Speed seaming Electro foil carpet seaming tape	An ironless engineered carpet seaming tape	Commercial installation requires a speed seaming machine
500	Dual bond carpet seaming tape	Commercial grade hot melt formulation with a paper back that peels away	Most types of Dual bond carpet installations

ALWAYS REFER TO MANUFACTURERS RECOMMENDATIONS

